

ANIX[®]



Product Line Card

TS  CE    DNV-GL

ANIX VALVE USA

www.anixusa.com

sales@anixusa.com

**ANSI JIS DIN Flanged**

Ball Valve(Fire Safe)
(CF8, CF8M, WCB, Ti, Ni)
ANSI-1/2"~12" / 150LB
JIS-DN15~300/10K~20K

**ANSI 300LB~600LB Flanged**

Ball Valve(Fire Safe)
(CF8, CF8M, WCB, Ti, Ni)
1/2"~8" / 300LB~600LB
FBV42R6F/300~600

**ANSI JIS DIN Flanged Ball Valve**

Direct Mount (Fire Safe)
(CF8, CF8M, WCB, Ti, Ni)
ANSI-1/2"~4" / 150LB
JIS-DN15~100/10K~20K
DIN-DN15~100 / PN16~63

**Flanged Fixed Ball Valve**

(CF8, CF8M, WCB, Ti, Ni)
ANSI-3"~48" / 150LB~600LB
JIS-DN80~1200 / 10K~30K
DIN-DN80~1200 / PN16~63
FBV347R6F/150~600

**ANSI 150LB Flanged Gearbox**

Ball Valve(Fire Safe)
(CF8, CF8M, WCB, Ti, Ni)
6"~12" / 150LB
FBV342R6F/150

**ANSI, JIS, DIN, GB Flanged Gate Valve**

(CF8, CF8M)
ANSI-1 1/2"~32" / 150LB~600LB
JIS- DN40~500 / 10K~20K
DIN- DN40~500 / PN16~63
GB- DN15~500 / PN16~63
GA40W6F/150

**ANSI, JIS, DIN, GB Flanged Globe Valve**

(CF8, CF8M)
ANSI- 1/2"~20" / 150LB~600LB
JIS- DN15~500 / 10K~20K
DIN- DN15~500 / PN16~63
GB- DN15~500 / PN16~63
GL41W6F/150

**ANSI, JIS, DIN, GB Flanged Check Valve**

(CF8, CF8M)
ANSI- 1/2"~20" / 150LB~600LB
JIS- DN15~500 / 10K~20K
DIN- DN15~500 / PN16~63
GB- DN15~500 / PN16~63
CV44W6F/150

**3-Way Flanged Ball Valve Direct Mount**

(CF8, CF8M, WCB, Ti, Ni)
ANSI-1/2"~16" / 150LB~300LB
JIS-DN15~400 / 10K~20K
DIN-DN15~400 / PN16~40
L: BVH44R6F/150 T: BVH45R6F/150

**ANSI, JIS, DIN, GB Flanged Strainers**

(CF8, CF8M)
ANSI- 1/2"~28" / 150LB~300LB
JIS- DN15~700 / 10K~20K
DIN- DN15~700 / PN16~40
GB- DN15~7500 / PN16~40
YS41W6F/150

**ANSI, JIS, DIN, GB Flanged Gate Valve**

(WCB)
ANSI-1 1/2"~32" / 150LB~600LB
JIS- DN40~500 / 10K~20K
DIN- DN40~500 / PN16~63
GB- DN15~500 / PN16~63
GA40H5F/150

**ANSI, JIS, DIN, GB Flanged Globe Valve**

(WCB)
ANSI- 1/2"~20" / 150LB~600LB
JIS- DN15~500 / 10K~20K
DIN- DN15~500 / PN16~63
GB- DN15~500 / PN16~63
GL41H5F/150

**ANSI, JIS, DIN, GB Flanged Check Valve**

(WCB)
ANSI- 1/2"~20" / 150LB~600LB
JIS- DN15~500 / 10K~20K
DIN- DN15~500 / PN16~63
GB- DN15~500 / PN16~63
CV44W6F/150

**ANSI, JIS, DIN, GB Flanged Strainers**

(WCB)
ANSI- 1/2"~28" / 150LB~300LB
JIS- DN15~700 / 10K~20K
DIN- DN15~700 / PN16~40
GB- DN15~7500 / PN16~40
YS41W6F/150

**Pneumatic Flanged Ball Valve**

(CF8, CF8M, WCB, Ti, Ni)
ANSI- 1/2"~12" / 150LB~300LB
JIS- DN15~300 / 10K~20K
DIN- B5-DN15~300 / PN16~63
YS41W6F/150

**Wafer Type Double Disc Spring Check Valve**

(CF8, CF8M, WCB)
DN40~700 / 150LB
CV76W6W/150

**Wafer Type Spring Check Valve**

(CF8, CF8M, WCB)
DN15~300 / PN16~40
CV71W6W/40

**3PC Type Spring Check Valve**

Threaded
(CF8, CF8M)
1/4"~2" / 1000PSI

**2PC Type Spring Check Valve**

Threaded
(CF8, CF8M)
1/4"~2" / 1000PSI

**Swing Check Valve**

(CF8, CF8M, WCB)
1/2"~3" / 200PSI
CV14W6N/200



2PC Type Ball Valve

(CF8, CF8M, Ti, Ni, LCC, LF2)
1/4"~4" / 1000PSI
BV12R6N/1000



2PC Type Ball Valve Threaded

(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)
1/4"~4" / 2000PSI
BV12R6N/2000



2PC Type Ball Valve Threaded Fire Safe

(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)
1/4"~4" / 2000PSI
FBV12R6N/2000



2PC Type Ball Valve Threaded Fire Safe

(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)
1/4"~2" / 3000PSI
FBV12R6N/3000



1PC Type Ball Valve

Threaded
(CF8, CF8M, WCB)
1/4"~4" / 1000PSI
BV11R6N/1000



3PC Type Ball Valve

Threaded
(CF8, CF8M)
1/4"~4" / 1000PSI
BV13R6N/1000



3PC Type Ball Valve (Socket Weld)

(CF8, CF8M, WCB)
1/4"~4" / 1000PSI
BV63R6B/1000



3PC Type Ball Valve

Threaded
(CF8, CF8M)
1/4"~4" / 1000PSI
BV13R6N/1000



3PC Type Ball Valve

Threaded Direct Mount
(CF8, CF8M, WCB)
1/4"~4" / 1000PSI
BVH13R6N/1000



3PC Type Ball Valve

Threaded Fire Safe, Direct Mount
(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)
1/4"~4" / 2000PSI
FBVH13R6N/2000



Stainless Steel Gate Valve

Threaded
(CF8, CF8M, WCB)
1/2"~4" / 200PSI
GA11W6N/200



Stainless Steel Globe Valve

Threaded
(CF8, CF8M, WCB)
1/4"~3" / 200PSI
GL11W6N/200



3 Way Ball Valve (Low Mounted)

(CF8, CF8M, WCB)
1/4"~4" / 1000PSI
L: BV14R6N/1000
T: BV15R6N/1000



3 Way Ball Valve (Direct Mount)

(CF8, CF8M, WCB)
1/4"~4" / 1000PSI
L: BVH14R6N/1000
T: BVH15R6N/1000



2PC Type Ball Valve

Threaded
(WCB)
1/4"~4" / 1000PSI / 2000PSI
BV12R5N/1000
BV12R5N/2000



MINI Ball Valve M/M

(304, 316)
1/4"~1" / 1000PSI
BV20F6N/1000



MINI Ball Valve F/F

(304, 316)
1/4"~1" / 1000PSI
BV10F6N/1000



MINI Ball Valve M/M

(304, 316)
1/4"~1" / 1000PSI
BV20F6N/1000



3PC Pneumatic Ball Valve

(CF8, CF8M, WCB)
1/4"~4" / 1000PSI



Y-type Female Strainer

(CF8, CF8M, WCB)
1/4"~4" / 800PSI
YS11F6N/800

**3PC Clamped-package Ball Valve**

(CF8, CF8M, WCB)
1/2"~4" / 1000PSI
BV83R6C/1000

**Sanitary Thread Butterfly Valve**

(CF8, CF8M)
1"-4" / DN25-DN102
ISO, DIN, IDF, 3A, SMS

**Sanitary Weld Butterfly Valve**

(CF8, CF8M)
3/4"-6" / DN20-DN159
ISO, DIN, IDF, 3A, SMS

**Sanitary Quick-Install Butterfly Valve**

(CF8, CF8M)
3/4"-6" / DN20-DN159
ISO, DIN, IDF, 3A, SMS

**Sanitary Diaphragm Valve**

(CF8, CF8M)
1/2"-2" / DN15-DN50
ISO, DIN, IDF, 3A, SMS

**Camlock A**

(CF8, CF8M)
CTA/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock B**

(CF8, CF8M)
CTB/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock C**

(CF8, CF8M)
CTC/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock D**

(CF8, CF8M)
CTD/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock E**

(CF8, CF8M)
CTE/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock F**

(CF8, CF8M)
CTF/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock DC**

(CF8, CF8M)
CTDC/6
SIZE: 1/2"~6"
/ DN15~150

**Camlock DP**

(CF8, CF8M)
CTDP/6
SIZE: 1/2"~6"
/ DN15~150

**ANSI Standard Forged Steel Gate Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 2500LB
GA11W6N/150

**ANSI Standard Forged Steel Globe Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 1500LB
GL41W6F/150

**ANSI Standard Forged Steel Globe Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 2500LB
GL11W6N/150

**ANSI Standard Forged Steel Gate Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 1500LB
GA40W6F/150

**ANSI Standard Forged Check Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 1500LB
CV41W6F/150

**ANSI Standard Forged Check Valve**

(A105, F304, F316)
1/2"~2" / 150LB~ 2500LB
CV11W6N/150

**Pneumatic Flanged Ball Valve**

(CF8, CF8M, WCB, TI, NI)
ANSI- 1/2"~12" / 150LB~600LB
JIS- DN15~300 / 10K~20K
DIN- BS- DN15~300 / PN16~63

**Wafer Butterfly Valve**

(CF8, CF8M)
ANSI-2"~48"/150LB~300LB
JIS- DN50~1200/10K~20K
DIN- BS- DN50-1200/PN16-63

**Wafer Butterfly Valve**

(C/, WCB, CF8, CF8M)
ANSI-2"~48"/150LB~300LB
JIS- DN50-1200/10K~20K
DIN- BS- DN50-1200/PN16~63

**Lug Butterfly Valve**

(C/, WCB, CF8, CF8M)
ANSI-2"~48"/150LB~300LB
JIS- DN50-1200/10K~20K
DIN- BS- DN50-1200/PN16~63





WITH 1/2" (12.7mm) BORE AND 1/2" (12.7mm) FLANGE



- 1/2" Pneumatic Ball Valve With Internal Thread
CDS 1500, WCB
1/2" x 1/2" (12.7mm)
- Pneumatic Parallel 2 Way Ball Valve
CDS 1500, WCB
1/2" x 1/2" (12.7mm)

ANIX®



Pneumatic Parallel Ball Valve CDS 1500, WCB, 1/2" x 1/2" (12.7mm)
CDS 1500, WCB
1/2" x 1/2" (12.7mm)

Pneumatic Parallel Ball Valve CDS 1500, WCB, 1/2" x 1/2" (12.7mm)
CDS 1500, WCB
1/2" x 1/2" (12.7mm)

TS     DNV-GL



Parallel Ball Valve With Handwheel
CDS 1500, WCB, 1/2" x 1/2" (12.7mm)
CDS 1500, WCB
1/2" x 1/2" (12.7mm)






1/2" Ball Valve
CDS 1500, WCB
1/2" x 1/2" (12.7mm)



1/2" Ball Valve
CDS 1500, WCB
1/2" x 1/2" (12.7mm)







PRODUCT LINE SHEET - SUMMARY

Stainless Steel / SS 316 / CF8M (Available at Houston location)

- Flanged Connection (RF) – 150#, 300# (Ball, Gate, Globe, Check, Y-Strainer)
- Threaded (NPT) – 1000 Psi, 2000 psi, 3000 psi, CL 200 (Ball, Gate, Globe, Check), CL800 (Y-strainer)
- 1-Piece, 2-Piece, 3-Piece, Mini ball valves. (Oval handle available for 3-Piece)
- 3-way Ball Valve, Threaded (NPT) and Flanged connection (RF)
- ISO Direct Mount available for 2-Piece, 3-Piece and 3-Way ball valves.
- Socket weld / Butt weld end connection – 1000 psi
- Camlock (Cam & Groove) – Type A, B, C, DP, DC, E, F

WCB / Carbon steel / CS/ Cast Steel (Available at Houston Location)

- Flanged Connection (RF) – 150#, 300# (Ball, Gate, Globe, Check, Y-Strainer)
- Threaded (NPT) – 1000 Psi, 2000 psi, 3000 psi, CL 200 (Ball valve)

Stainless steel (316L) Sanitary (Available at Houston location)

- Sanitary Butterfly Valves SS 316L
- Pull handle or Polymer Trigger handle
- Butt weld end or Clamp connections

Pneumatic Actuator (Available at Houston location)

- Spring /Single and Double return

Forged steel / Carbon Steel (Made-to-order only)

- Flanged Connection (RF)
- 600# Flanged Connection (RF) (Made-to-Order, available in stock Q4 2021)
- 800# Threaded (Made-to-Order, available in stock Q4 2021)

Butterfly Valve (Made-to-order only)

- Lug or wafer
- Ductile iron (Made-to-Order, Available in stock Q4 2021)
- Carbon Steel, Stainless Steel

Trunnion Valve - Fixed Ball/Mounted Ball Valve (Made-to-order only)

- 150#, 300#, 600#, 900#
- Carbon steel/Cast Steel, Stainless steel CF8M and Forged steel

Fittings (Limited)

- Hose Nipple, Pipe Nipple, Camlocks, Elbow, Tee, Hex, Plug, Socket, Full Coupling, Union ETC.

Custom made Valve (Made-to-order only)

06/01/2021

ANIX®

TS  CE   DNV-GL